

Tri Sigma and March of Dimes Logo Graphic Standards

All logos are available from The Foundation office.

Please contact:

Meghan Ward-Bopp

mwardbopp@trisigma.org

The primary or preferred use of the logo is this full color version.

For print applications



[Tri.Sigma.MoD_logo_4.print.CMYK.eps](#)

For digital applications



[Tri.Sigma.MoD_logo_4.digital.RGB.jpg](#)

For black and white applications, this is the preferred usage.

For print applications



[Tri.Sigma.MoD_logo_4.BLACK.eps](#)

For digital applications



[Tri.Sigma.MoD_logo_4.BLACK.jpg](#)

For reversed applications, elements should be 100% white.

For print applications



[Tri.Sigma.MoD_logo_4.WHITE.eps](#)

For digital applications



[Tri.Sigma.MoD_logo_4.digital.WHITE.png](#)

Best logo reproduction:

For Word, Excel, and PowerPoint, use JPEG files (file name ends with .jpg)

For InDesign, Quark and websites, use EPS files (file name ends with .eps)

For premium items (T-shirts, posters, signs, buttons, hats, pins, water bottles, etc), use EPS files (file name ends with .eps).


Color palette

Logo colors are PMS 2090, and PMS 2091. When limited by technical or budgetary constraints, these colors may also be reproduced in CMYK (process color). RGB colors may be used in PowerPoint, Word, Excel and on internet applications.

When using silk-screening, vinyl applications or other non-offset reproduction methods, color must be matched as closely as possible to the PMS standards.

Please note, the same ink color might appear slightly different depending on the paper stock selected. Coated and uncoated stocks reflect colors differently as well as different paper finishes and paper colors. The color you see on your monitor or from color laser outputs should not be used for visual matching.


Logo colors



PMS 2091

C 85
M 100
Y 0
K 30

r 91
g 61
b 178



PMS 2090

C 85
M 100
Y 0
K 0

r 112
g 41
b 236




PMS Black

C 0
M 13
Y 39
K 98

r 20
g 16
b 6


Secondary colors



PMS 319

C 34
M 0
Y 11
K 0


r 164
g 220
b 226



PMS 7724

C 86
M 17
Y 73
K 3


r 0
g 149
b 109



PMS 247

C 29
M 94
Y 0
K 0

r 193
g 20
b 162



PMS 877

C 47
M 38
Y 38
K 2

r 142
g 144
b 144

Incorrect use of the logo

Do not rotate the logo.



Do not crop the logo.



Do not change the proportion or distort the logo.



Do not change the colors of the logo.



Do not use the logo on a busy background.



Recommended Typefaces

The wordmark in the Tri Sigma MOD logo is set in Moderno FB-Regular

Fonts are available at www.myfonts.com

THIS TEXT IS SET IN MODERNO FB REGULAR

The recommended typeface for body copy is Avenir. Please use the Arial family if Avenir is not available.

This text is set in Avenir Book

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

This text is set in Avenir Book Oblique

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

This text is set in Avenir Heavy

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

This text is set in Avenir Heavy Oblique

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

This text is set in Avenir Black

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

This text is set in Avenir Black Oblique

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz